

AGES		NEOGENE ZONES & CORRELATION WITH STAGES (BLOW, 1969)	ATLANTIC COAST	N. W. FLORIDA	MEXICO	COSTA RICA	
HOLOCENE							
PLEISTOCENE	23	CALABRIAN AND YOUNGER					
	22		WACCAMAW TU 875			MOÍN TU 954	
PLIOCENE	21	ZANCLIAN-ASTIAN					
	20						
	19		YORKTOWN LOCALITIES DESIGNATED IN APPENDIX	JACKSON BLUFF LOCALITIES DESIGNATED IN FIGURE 2	Cancellaria Faunizone Ecphora Faunizone	AGUEGUEXQUITE TU 638	
	18						
MIOCENE	LATE	TORTONIAN-MESSINIAN		RED BAY ? USGS 12046 (CUSHMAN & PONTON, 1932)			
			16				
	MIDDLE	LANGHIAN	15				
			14		YELLOW RIVER USGS 12060 (CUSHMAN & PONTON, 1932)	ENCANTO TU 635	
			13				
			12				
			11				
			10				
			9				
			EARLY	BURDIGALIAN	8		
7	CHIPOLA ALL LOCALITIES, MAP 1; APPENDIX						

FIGURE 3

CORRELATION OF SOME NEOGENE FORMATIONS
BY MEANS OF PLANKTONIC MICROFOSSILS

NOTE: "FAUNIZONE" IS USED THROUGHOUT THIS REPORT IN THE SENSE OF PURI AND VERNON (1964)